# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L4 | 2 | L3 and (average and (row X) and (column Y) and (fail$3 near bit)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/21 14:17 |
| L2 | 1 | L1 and (average and (row X) and (column Y) and (fail$3 near bit)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/21 14:17 |
| L3 | 6167 | (714/25,715,721-723,737,745 365/201).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/21 14:16 |
| L1 | 5996 | (714/25,715,722,723,737,745 365/201).ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/21 14:16 |
| S18 | 2 | (average and (row X) and (column Y) and (fail$3 near bit)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/21 14:15 |
| S4 | 5 | ((fail$3 near2 (analysis analiz$3 analis$)) and (fail$3 near4 row) and (fail$3 near4 column) and (fail$3 near4 block)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/21 14:13 |
| S21 | 2 | "20040243891" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/21 12:59 |
| S20 | 1 | "5410687".PN. | USPAT; USOCR | OR | ON | 2006/04/20 15:39 |
| S19 | 1 | "5136591".PN. | USPAT; USOCR | OR | ON | 2006/04/20 15:39 |

# EAST Search History

| | | | | | | |
|---|---|---|---|---|---|---|
| S1 | 1 | (average and row and column and (fail$3 near bit)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 15:36 |
| S17 | 1 | "5946214".PN. | USPAT; USOCR | OR | ON | 2006/04/20 15:30 |
| S16 | 1 | "6009545".PN. | USPAT; USOCR | OR | ON | 2006/04/20 15:30 |
| S15 | 13 | ("6564346" "6404911" "6108253" "6009545" "5844850" "6819788"). pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 14:22 |
| S14 | 2 | S10 and average | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 13:48 |
| S13 | 23 | S11 not S12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 13:48 |
| S11 | 45 | (average with (fail$3 near4 (bit column row))) and memory | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 13:46 |
| S12 | 22 | S11 and threshold | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 13:41 |
| S9 | 42 | ((fail$3 near2 (analysis analiz$3 analis$)) and (fail$3 near4 row) and (fail$3 near4 column) and (fail$3 near4 block) and (fail$3 near3 (data map matrix))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 13:40 |

# EAST Search History

| S10 | 33 | S9 not S3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 12:06 |
|---|---|---|---|---|---|---|
| S8 | 13 | S7 not S3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 12:06 |
| S7 | 16 | ((fail$3 near2 (analysis analiz$3 analis$)) and (fail$3 near4 row) and (fail$3 near4 column) and (fail$3 near4 block) and (fail$3 near2 bit near (data map matrix))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 12:06 |
| S6 | 3 | ((fail$3 near2 (analysis analiz$3 analis$)) and (fail$3 near4 row) and (fail$3 near4 column) and (fail$3 near4 block)) and average and (predetermined near3 (factor number value threshold)) and (fail$3 near2 bit near (data map matrix)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 12:02 |
| S5 | 3 | ((fail$3 near2 (analysis analiz$3 analis$)) and (fail$3 near4 row) and (fail$3 near4 column) and (fail$3 near4 block)) and average and (predetermined (factor number value threshold)) and (fail$3 near2 bit near (data map matrix)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 11:58 |
| S3 | 11 | ((fail$3 near2 (analysis analiz$3 analis$)) and (fail$3 near4 row) and (fail$3 near4 column)).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 11:47 |
| S2 | 92 | (fail$3 near2 (analysis analiz$3 analis$)) and (fail$3 near4 row) and (fail$3 near4 column) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/20 11:46 |

**IEEE Xplore®** RELEASE 2.1

**Welcome United States Patent and Trademark Office**

☐ Search Session History

BROWSE          SEARCH          IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

**Select a search number (#) to:**

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

**Fri, 21 Apr 2006, 2:12:32 PM EST**

**Search Query Display**

**Recent Search Queries**

#1   (average <and> (row <or> x <or> bit) and (column <or> y<or> word) <and> (fail$3 <near/2> bit)) <in> pdfdata

#2   (fail$3 <near/3> map) <or> (bit <near/3> map) <and> (failure <near/2> (analysis analiz$3)) <in> pdfdata

#3   (((failure <or> failing <or> fail) <near/5> map) <or> (bit <near/5> map)) <and> (failure <near/2> (analysis analiz$3)) <in> pdfdata

Help     Contact Us     Privac

© Copyright 2006 IE

Indexed by
**⊞ Inspec®**